

## BB-2107 BASKETBALL SCOREBOARD SPECIFICATIONS

This Tuff Sport® scoreboard features statistical information in addition to basic game information. This scoreboard displays period time to 99:59, HOME and GUEST scores to 199, PERIOD to nine, PLAYER number to 99, player FOUL to nine, team FOULS to 19, T.O.L. (time outs left) to 9 and indicates possession and bonus. When period time is less than one minute, scoreboard displays time to 1/10 of a second. This scoreboard is shown with optional striping and UniView™ LED digit technology.

### PRODUCT SPECIFICATIONS

#### PRODUCT SAFETY

##### APPROVAL:

120 V AC Models: ETL listed, tested to CSA standards  
230 V AC Models: CE labeled for indoor use

##### DIMENSIONS:

Height 6'-0", Width 10'-0", Depth 6" (1829 mm, 3048 mm, 152 mm)

##### WEIGHT:

225 lb (102 kg)

##### POWER:

Available in 120 V AC (200 W; 1.7 A) or 230 V AC (200 W; .9 A) configurations  
(Add 100 W for a pair of optional TNMCs)

##### CONSTRUCTION:

Durable, lightweight aluminum

##### DIGITS/INDICATORS:

Clock and score digits are 13" (330 mm) high. All other digits are 10" (254 mm) high. Clock digits, time-outs left (T.O.L.), PERIOD digit, PLAYER/FOUL/MATCH digits and bonus indicator are amber. All other digits and indicators are red. Available with PanaView® or UniView LED digit technology (see SL04729 for further details).

##### CAPTIONS:

HOME and GUEST captions are 6" (152 mm) high. All other captions are 4" (102 mm) high. Captions are vinyl applied directly to the display face.

##### DISPLAY COLOR:

More than 150 colors (from Martin Senour® paint book) are available at no additional cost.

##### OPERATING

##### TEMPERATURES:

Display: -22 to 122 degrees Fahrenheit (-30 to 50 degrees Celsius)  
Console: 32 to 122 degrees Fahrenheit (0 to 50 degrees Celsius)

# BB-2107 PRODUCT SPECIFICATION (CONTINUED)

## ALL SPORT® 5000 CONTROL CONSOLE:

Control console electronics are housed in a rugged aluminum case. Console has a 32-character liquid crystal prompting display to verify entries and recall information currently displayed. Case and sealed membrane keyboard make console face water-resistant. Console is capable of controlling other sports using keyboard inserts. A 20' (6096 mm) control cable and a 6' (1829 mm) power cord are supplied. The power cord plugs into a standard grounded 120 VAC outlet. Maximum power demand is 5 watts. The 230 VAC scoreboard uses the All Sport 5000 Control console.

## CONTROL CABLE:

One pair shielded cable of 22 AWG minimum is required.

## JUNCTION BOX:

A cover plate with mounted connector and standard 2" x 2" x 4" (51 mm, 51 mm, 102 mm) outlet box is provided. Connector mates with connector from control console.

## HORN:

A vibrating horn, mounted behind the scoreboard face, sounds automatically when period clock counts down to zero or manually as controlled by the operator.

## SYNCHRONIZATION:

The BB-2107 has the capability to operate in sync with all other Daktronics basketball scoreboards.

## GENERAL INFORMATION:

The scoreboard provides scoring capabilities for two teams. 100% solid state electronics are housed in an all aluminum cabinet. The scoreboard arrives at the site fully assembled. Specifications and pricing are subject to change without notice.

## WARRANTY/SERVICE PLAN:

Exclusive Daktronics Gold<sup>SM</sup> plan in the U.S. and Canada (see SP10093 for more information).

## SEGMENT TIMER MODE:

The segment timer mode is ideal for keeping practices on schedule. The horn at the end of a segment allows coaches and athletes to focus on the practice and to listen for the horn when it is time to change drills (see SL04004 for more information).

## OPTIONS:

- |  |  |
|--|--|
| 1. Durable control console carrying case                       | 8. Protective screen                                 |
| 2. Logo/sponsor panel<br>(Standard size Height 17", Width 33") | 9. Suspension installation                           |
| 3. Scoreboard striping   | 10. Double bonus indicator                           |
| 4. Team name in place of HOME                                  | 11. Programmable team name message center            |
| 5. Visual Horn Indicator (see SL02093)                         | 12. Advantage time option (see SL03679)              |
| 6. Programmable message display                                | 13. Different sounding horn                          |
| 7. 2.4 GHz spread spectrum radio (see SL04370)                 | 14. Alternate caption colors available (see SL06409) |
|  | 15. Advertisement/ Identification panel              |

# BB-2107 PRODUCT SPECIFICATION (CONTINUED)

## OPTIONAL LOGO/SPONSOR PANELS:

### Non-backlit

Height	Width
1'-3" (381 mm)	10'-0" (3048 mm)
1'-6" (457 mm)	10'-0" (3048 mm)
2'-0" (610 mm)	10'-0" (3048 mm)
2'-6" (762 mm)	10'-0" (3048 mm)
3'-0" (914 mm)	10'-0" (3048 mm)
4'-0" (1219 mm)	10'-0" (3048 mm)


### Backlit

Height	Width
1'-6" (457 mm)	10'-0" (3048 mm)
2'-0" (610 mm)	10'-0" (3048 mm)
2'-4" (711 mm)	10'-0" (3048 mm)
2'-6" (762 mm)	10'-0" (3048 mm)
3'-0" (914 mm)	10'-0" (3048 mm)
5'-3" (1600 mm)	10'-0" (3048 mm)
9'-0" (2743 mm)	10'-0" (3048 mm)


\*For additional information on ordering logo/sponsor panels, see SL04014.

## FOR ADDITIONAL INFORMATION REFER TO:

1. Mechanical specifications: drawing # 1237-E10A-144817
2. Electrical and signal specifications: drawing # 1237-E10A-158571
3. Architectural Specification: SL04791
4. Manual reference: Daktronics Tuff Sport Indoor Basketball LED Scoreboards ED-13110



BB-2107 Wrestling mode



BB-2107 Volleyball mode

For additional information on Daktronics scoring/timing products, call 605-697-4300 or 800-325-8766.

All Sport®, Gold<sup>SM</sup>, PanaView®, Tuff Sport®, and UniView<sup>TM</sup> are trademarks of Daktronics, Inc. Martin Senour® is a registered trademark of its owner.

### For faster service call the appropriate sales group toll-free:

- 800-DAKTRONICS (800-325-8766) General Sales
- 888-DAK SCORE (888-325-7267) High School/Park & Rec Sales
- 888-DAK SIGN (888-325-7446) Commercial Sales
- 800-558-9526 Business Communications Sales
- 888-DAK TIME (888-325-8463) College/University Sales
- 888-CHRONDEK (888-247-6633) Auto Racing Sports

